

**MATERIAL SAFETY DATA SHEET**  
OSHA Hazard Communication  
Standard (29 CFR 1910.1200)

SIMILAR TO OSHA FORMS 20 AND 174  
US Department of Labor  
Printed date: 2/17/98 at 11:58:0

---

PRODUCT NAME: **WILLIAMSBURG HANDMADE OIL COLORS**  
PRODUCT COLOR: **CADMIUM PIGMENT COLORS**  
PRODUCT NUMBER: **SEE LIST**  
REGULATORY STATUS: **CONFORMS TO ASTM D-4236, LHAMA AND FHSA**

---

**SECTION I MANUFACTURER'S NAME AND LOCATION**  
COMPANY NAME **GOLDEN ARTIST COLORS, INC**  
ADDRESS **188 BELL ROAD**  
CITY, STATE, ZIP **NEW BERLIN NY USA 13411**  
Contact **BEN GAVETT** Title **DIRECTOR OF REGULATORY AFFAIRS**  
INFO TEL NO. **1-607-847-6154**  
EMERGENCY TEL NO. **1-607-847-6154**  
Preparation Date: **05/21/10** REV.#

---

**SECTION II HAZARDOUS INGREDIENTS/ IDENTITY/ STANDARDS/ CONTENT INFORMATION**

Oil Base Medium	<b>mixture</b>	<b>n/l</b>	<b>n/l</b>	<b>n/l</b>	<b>&lt;70.00</b>
Ingredient Listing	CAS No.	OSHA PEL	ACGIH TLV	STEL	% COMP
Cadmium compounds	<b>mixture</b>	<b>.005 mg/m3</b>	<b>.002 mg/m3</b>	<b>n/l</b>	<b>&lt;55.00</b>

**The other ingredients in the oil base medium are judged to be non-hazardous and are regarded as trade secrets**

---

**SECTION III PHYSICAL/ CHEMICAL CHARACTERISTICS**

Boiling Point <b>n/a</b>	Deg. F (Cel.)	Spec Grav <b>.930 @ 68 F.</b>
Melting Point <b>n/a</b>	Deg. F (Cel.)	(H29=1).
Vapor Pressure <b>n/a</b>		Vapor density <b>n/a</b>
Evaporation Rate <b>n/a</b>		Water Solubility <b>n/a</b>
Odor <b>n/a</b>	Appearance <b>Viscous</b>	

---

**SECTION IV FIRE and EXPLOSION HAZARD DATA**

Flash Point <b>&gt;200 F.</b>	Deg. F.(Cel)	Flash Pt.	Method <b>unkwn</b>
Lower Flam Limit <b>n/l</b>	%	Upper Flam. Limit <b>n/l</b>	
Exting. Medium	<b>Regular foam, water fog, carbon dioxide, dry chemical.</b>		
Specialized Fire Fighting Proc.	<b>Wear a self contained breathing apparatus with a full facepiece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment.</b>		
Unusual Fire & Explosion Hazard	<b>May form: acrolein, carbon dioxide and carbon monoxide, various hydrocarbons.</b>		

---

**SECTION V REACTIVITY DATA**

(Unstable) Conditions **None known**  
Stable (yes/no) **yes** to avoid  
(Stable)  
Incompat (Avoid) **None**  
Haz. Decomp. (y/n) **no** Haz. Polym. (yes/no) **no**  
Cond to Avoid **none**

---

**Confirm all information prior to use**

Abbreviations:	Not Applicable N/A..	Not Flammable NIF	Ceiling Value	C
	Not Known N/K		Not Determined	N/D
	Respirable Fraction	R	Not Listed	N/L
Permissible Exposure Limit	PEL		Unknown	UNKWN
			ACGIH Threshold Limit Value	

TLV

The data shown is taken from sources judged to be reliable. The user should judge both the accuracy and the suitability of this information for any intention or purpose. No other warranty is given.

---

**SECTION VI HEALTH HAZARD DATA**Routes of Entry: Inhalation **yes**Skin **Yes**Ingest, **Yes**

Health Hazards **Contains cadmium compounds which may cause cancer by ingestion and inhalation excessive fumes or dust. (Risk of cancer depends on duration and level of exposure.) Effects of ingestion are dumulative due to slow elimination of absorbed Cadium. May cause harm to kidneys, testes and developing fetus. Prolonged or repeated skin contact may cause skin irritation and dermatitis.**

NTP Carcinogen **YES**IARC Carcinogen **Yes**OSHA Carcinogen **YES**Signs/Symptoms **n/l,**  
of ExposureMedical Conditions **None**

to Avoid

First Aid **If eaten seek medical attention immediately. If skin is irritated, wash with soap and water. If irritation persists, see a physician**

---

**SECTION VII****PRECAUTIONS FOR SAFE HANDLING AND USE**

spill

Waste Disp

**Absorb liquid on vermiculite, floor absorbent or other absorbent material  
Disposal should be in accordance with all applicable local, state and federal regulations.**

Precautions

**Do not store near heat. Keep cool.**

Other Precautions

**None known**

---

**SECTION VIII****CONTROL MEASURES**

Resp Protect

**Normally not needed.**

Local Exhaust

**Normally not needed**

Spec Local Exh

**Normally not needed**

Mech Exhaust

**Normally not needed**

Other Mech Exhaust	<b>Normally not needed</b>
Protect Gloves	<b>Wear gloves or use barrier creams to protect skin.</b>
Eye Protect	<b>Normally not needed</b>
Protect Clothing	<b>Freshly-laundered artist's smock.</b>
Work Practices	<b>Wash hands and face after use.</b>

---

**LABEL STATEMENTS FOR WILLIAMSBURG - HANDMADE OIL COLORS**

Acute Toxicity **None**

Chronic Toxicity **None**

CALIFORNIA PROP 65

WARNING STATEMENT      **WARNING' This product contains a chemical known to the State of California to cause Cancer.**

Certification Assurance **Conforms to ASTM D-4236**

Children's Hazard Warning **KEEP OUT OF THE REACH OF CHILDREN.**

=====

Confirm all information prior to use

Abbreviations:	Not Applicable N/A..	Not Flammable NIF	Ceiling Value	C
	Not Known N/K		Not Determined	N/D
	Respirable Fraction R		Not Listed	N/L
Permissible Exposure Limit PEL			Unknown	UNKWN
			ACGIH Threshold Limit Value	

TLV

The data shown is taken from sources judged to be reliable. The user should judge both the accuracy and the suitability of this information for any intention or purpose. No other warranty is given.